

High-speed valve K2·K3·K4 K Series

World's First
New
Solenoid
Technology

IMPACTV
Hi-speed Solenoid Valves

New!
K3/K4 series

Full model change!
K2 Series 2-port valves
For high-speed sorting and air blow applications

High-speed response

0.4 to 3.0 ms (ON)

Low power

9 W and higher specifications come
with power saving circuit.

24 W → **1.5 W**, 9 W → **1 W**

New!

3-, 4-port valves K3/K4 Series

For high-speed suction pickup, air blow,
and high-speed cylinder operation applications

High-speed response

1.2 to 4.0 ms (ON)

Low power

24 W specifications come with power
saving circuit.

24 W → **2 W**



New
release!

High-speed 3- or 4-port valve **K3·K4 Series**

Low-power type achieves world's fastest response!

- Meets the need for a 3-port valve in high-speed sorting applications.
- Perfect for high-speed suction pickup (K3).
- Compact, high-speed response direct operated 3- or 4-port valve (compared to Koganei products)

High-speed response

1.2 to 4.0 ms (at ON)

Low power

24 W specification comes with power saving circuit.


24 W → 2 W

Surge protection

Note

Surge absorption circuit eliminates OFF delay for high-speed response.

Note: Excluding -N circuit specification.



K3 Series (3-port valve)

K4 Series (4-port valve)

Compact/10 mm wide

IP67 equivalent

IP67 equivalent protection structure enables use in a wide range of environments.

Non-oil specification

Vacuum specifications (K3)

Support for both vacuum and positive pressure

Piping variations (Photographs show K3 Series.)

Base piping	Direct piping			
	With air supply block	No air supply block	Output port	
			Fitting block	Female thread block

Supports a wide range of electrical control.

No protection circuit type Circuit specifications -N <ul style="list-style-type: none"> ● No surge absorbing circuit 	Surge absorbing type Circuit specifications -Z <ul style="list-style-type: none"> ● Surge absorbing circuit 	Power saving type Circuit specifications -L <ul style="list-style-type: none"> ● Power saving circuit 24 W → 2 W ● Surge absorbing circuit 	PLC drive type Circuit specifications -R <ul style="list-style-type: none"> ● PLC drive circuit ● Power saving circuit 24 W → 2 W ● Surge absorbing circuit 	Pulsed blow type Circuit specifications -X <ul style="list-style-type: none"> ● Built-in microprocessor ● Pulse oscillation circuit ● Remote control setting configuration ● Surge absorbing circuit
--	---	---	---	---

* For internal circuit, see page 20.

**CAUTION**

Before using this valve, be sure to read the "Safety Precautions" on page 5.

Application examples

High-speed sorting applications (Supports high cycle time.)

- Chip component manufacturing, taping machines, parts feeders, packaging machines, color sorting machines, etc.



Work sorting applications

An exhaust port ensures OFF air cutoff when secondary side piping is long.


High-speed suction pickup applications

- Sheet feeding, small electronic component production, etc.

Perfect for improving productivity through high-speed response.



K3 Series (For both vacuum and positive pressure use)
Sheet suction pickup, forced separation



Valve function and piping port position

K3 Series

K3 (for positive pressure use)

		Deenergizing	Energizing
3 ports	Normally closed (NC)		
	Normally open (NO)		

Caution: Positive pressure cannot be applied to the 3(R) port.

K3 (for vacuum use)

		Deenergizing	Energizing
3 ports	Normally closed (NC)		
	Normally open (NO)		

Caution: Positive pressure cannot be applied to the 3(R) port.

K3 (for both vacuum and positive pressure use)

		Deenergizing	Energizing
3 ports	Normally closed (NC)		
	Normally open (NO)		

Caution: Positive pressure cannot be applied to the 3(R) port.

K4 Series

K4 (for positive pressure use)

		Deenergizing	Energizing
4 ports			

Caution: Positive pressure cannot be applied to the 3(R) port.

Ultra-low pressure and high-speed actuator control





The operating pressure range can be from 0 MPa, which makes this valve perfect for actuators (metal cylinders, low constant speed cylinders, etc.) that operate at ultra-low pressure.

High-speed response also allows use for specific cylinder control (unloading of workpieces, pusher for defect removal, etc.) required in high-speed operation.

Before selecting and using the products, please read all safety precautions carefully to ensure proper product use. The safety precautions described below are to help you use the product safely and correctly, and to prevent injury or damage to you, other people, and assets.

Always adhere to the following safety regulations: ISO4414 (Pneumatic fluid power - General rules and safety requirements for systems and their components) and JIS B 8370 (General rules relating to pneumatic systems).

Items are ranked as follows according to degree of potential danger or damage: "DANGER", "WARNING", "CAUTION", and "ATTENTION".

 DANGER	Indicates situations that can be clearly predicted as dangerous. Failure to avoid the situation creates the risk of death or serious injury. It could also result in damage or destruction of assets.
 WARNING	Indicates situations that, while not immediately dangerous, could become dangerous. Failure to avoid the situation creates the risk of death or serious injury. It could also result in damage or destruction of assets.
 CAUTION	Indicates situations that, while not immediately dangerous, could become dangerous. Failure to avoid the situation creates the risk of minor or semi-serious injury. It could also result in damage or destruction of assets.
 ATTENTION	While there is little chance of injury, this content refers to points that should be observed for appropriate use of the product.

■ This product was designed and manufactured for use in general industrial machinery.

- When selecting and handling equipment, the system designer or another person with sufficient knowledge and experience should always read the safety precautions, catalog, instruction manual and other literature before commencing operation. Improper handling is dangerous.
- After reading the catalog, instruction manual, etc., always keep them in a location where they are readily available for reference to users of this product.
- If transferring or lending the product to another person, always attach the catalog, instruction manual, etc., to the product where they are easily visible, to ensure that the new user can use the product safely and properly.
- The danger, warning and caution items listed under these safety precautions do not cover all possible contingencies. Read the catalog and instruction manual carefully, and always keep safety first.

DANGER

- Do not use the product for the purposes listed below:
 1. Medical equipment related to maintenance or management of human lives or bodies.
 2. Machines or equipment designed for the purpose of moving or transporting people.
 3. Critical safety components in mechanical devices.

This product has not been planned or designed for purposes that require high levels of safety. Using the product in any of the ways described above creates the risk of loss of human life.
- Do not use the product in locations with or near dangerous substances such as flammable or ignitable substances. This product is not explosion-proof. Doing so creates the risk of ignition and fire.
- When mounting the product and workpiece, always make sure they are firmly supported and secured in place. Falling, dropping, or abnormal operation of the product creates the risk of personal injury.
- People using a pacemaker or other similar medical devices should keep a distance of at least one meter away from the product. Getting too close to the product creates the risk of malfunction of a pacemaker due to the strong magnet built into the product.
- Never attempt to modify the product. Abnormal operation can lead to injury, etc.
- Never attempt inappropriate disassembly, assembly or repair of the product relating to basic construction, or to its performance or to functions. Doing so creates the risk of injury, electric shock, fire, etc.
- Do not splash water on the product. Spraying it with water, washing it, or using it under water could result in malfunction of the product leading to injury, electric shock, fire, etc.
- While the product is in operation, avoid touching it with your hands or otherwise approaching too close. Also, do not attempt to make any adjustments to internal or attached mechanisms, or to perform any type of adjustment (manual override, connecting or disconnecting cable connectors, adjusting pressure switches, disconnecting tubes or sealed plugs, etc.) while the product is in operation.
Under such conditions, the actuator may move suddenly, creating the risk of personal injury.

WARNING

- Because Koganei products are designed for use under a wide variety of conditions, decisions concerning conformance with a particular system should be made upon the careful evaluation by the person in charge of system design.
Assurances concerning expected system performance and

safety are the responsibility of the designer who decides system conformity. Be sure to use the latest catalogs and technical materials to study and evaluate specification details, to consider the possibility of machine breakdown, and to configure a system that ensures fail-safe safety and reliability.

- Do not use the product in excess of its specification ranges. Doing so creates the risk of product breakdown, loss of function, or damage. It could also drastically reduce operating life.
- Before supplying air or electricity to the device and before starting operation, always conduct a safety check of the area of machine operation.
Unintentional supply of air or electricity could possibly result in electric shock, or in injury caused by contact with moving parts.
- Do not touch terminals, switches, or other parts, while power is turned on.
Doing so creates the risk of electric shock and malfunction.
- Do not allow the product to be thrown into fire. Doing so creates the risk of explosion and the release of toxic gases.
- Do not sit on the product, place your foot on it, or place other objects on it.
Doing so creates the risk of injury due to tripping or the product tipping over or dropping, resulting in product damage and abnormal, erratic, or runaway operation.
- When conducting any kind of operation for the product, such as maintenance, piping connection and disconnection, inspection, repair, or replacement, always turn off the air supply completely and confirm that residual pressure inside the product or in piping connected to the product is zero before proceeding. In particular, be aware that residual air will still be in the air compressor or air storage tank. The actuator could abruptly move if residual air pressure remains inside the piping, causing injury.
- Before performing any kind of wiring work, be sure to turn off power. Failure to do so creates the risk of electric shock.
- Correctly apply the rated voltage to the solenoid. Applying the wrong voltage will make it impossible to obtain the specified function, and creates the risk of damage to and burnout of the product.
- Do not allow lead wires and other cords to become damaged. Allowing a cord to become cut, bent excessively, pulled, rolled up, placed under heavy objects, or squeezed between two objects creates the risk of current leaks or defective continuity that can lead to fire, electric shock, or abnormal operation.
- Do not connect or disconnect connectors while power is turned on. Also, never apply unnecessary force to connectors. Doing so creates the risk of personal injury, device damage, and electric shock due to abnormal machine operation.
- Always check the catalog and other reference materials for correct product wiring and piping. Improper wiring and piping creates the risk of damage to and abnormal operation of the actuator, etc.

- In initial operations after the equipment has been idle for 48 hours or more, or has been in storage, there is a possibility that contacting parts may have become stuck, resulting in equipment operation delays or in sudden movements. Before these initial operations, always run a test to check that operating performance is normal.
- When the device is not used for long periods (over 30 days), it is possible that the contacting parts may have become stuck leading to slow operation or sudden movements. Check for proper operation a minimum of once every 30 days.
- Do not locate the solenoid valve and the wiring that controls it near power lines running a large current, powerful magnetic fields, or where power surges occur. Doing so could cause erratic operation.
- Solenoid valves generate surge voltage and electromagnetic waves at the OFF operation, which can interfere with the operation of nearby equipment. Use a surge protected solenoid or implement appropriate surge and electromagnetic protection measures for the electrical circuitry.
- Do not use the product at the beach, in direct sunlight, near mercury vapor lamps, or near equipment that generates ozone. Ozone causes rubber components to deteriorate resulting in reduced performance, or a limitation or stop of functions.
- Do not use any type of medium that is not specifically stipulated in the specifications. Using a non-specified medium could lead to short term loss of function, sudden degradation of performance, and a reduced operating life.
- When a solenoid valve is installed within the control panel and when the energizing time is long, implement heat dissipation measures in order to keep the temperature around the solenoid within specifications. Also note that continuous energizing for long periods will result in heat generation by the coil which can lead to deterioration of solenoid valve performance and shortening of its service life, and can adversely affect nearby equipment. Contact Koganei if you need to continuously energize for long periods or if the energizing time in a day needs to be longer than the deenergizing time.
- After completing wiring work, check to make sure that all connections are correct before turning on power.
- Do not use the product in locations subject to direct sunlight (ultraviolet radiation), high temperatures or high humidity, dust, salt, or iron powder. Do not expose the product to fluids or an ambient atmosphere that contains organic solvents, phosphate-based hydraulic fluid, sulfur dioxide gas, chlorine gas, acids, etc. It could lead to early shutdown of some functions, a sudden degradation of performance, and a reduced operating life. For information about materials, see Materials of major parts.



CAUTION

- When mounting the product, leave room for adequate working space around it. Failure to do so will make it more difficult to conduct daily inspections or maintenance, which could eventually lead to system shutdown or damage to the product.
- Whenever transporting or installing a heavy product, use a lift or supports to securely support it, and use several people to help lift it and take other precautions to ensure personal safety.
- Do not bring any magnetic media or memory media, or other similar items within one meter of an energized solenoid valve. Doing so creates the risk of damage to data on the magnetic media due to magnetism.
- Do not use a solenoid valve in locations subject to large electrical currents or strong magnetic fields. Doing so could result in erratic operation.
- Oil from a compressor (except from the oil free compressor) can greatly reduce product performance and can even cause functional stoppages. Be sure to install a mist filter before pneumatic equipment to remove oil.
- If an electric leakage occurs on control circuit, it may cause the product to operate unintentionally. Take leak current countermeasures against the control circuit so that the leak current do not exceed the allowance in the product specifications.
- While the product is in operation, avoid touching it with your hands or otherwise approaching too close. Heat generated by the coil can cause burn injury.



ATTENTION

- When considering the possibility of using this product in situations or environments not specifically noted in the

catalog or instruction manual, or in applications where safety is an important requirement such as in aircraft equipment, combustion equipment, leisure equipment, safety equipment, and other places where human life or assets may be greatly affected, take adequate safety precautions such as allowing plenty of margin for ratings and performance, or fail-safe measures. Contact the sales department at Koganei regarding use in such applications.

- Always check the catalog and other reference materials for product wiring and piping.
- When handling the product, wear protective gloves, safety glasses, safety shoes, and other protective clothing.
- When the product can no longer be used, or is no longer necessary, dispose of it appropriately, according to the "Law Regarding the Disposal and Cleaning of Waste" or other local governmental rules and regulations, as industrial waste.
- Pneumatic equipment can exhibit degraded performance and function over its operating life. Always conduct daily inspections of the pneumatic equipment, and confirm that all requisite system functions are satisfied, to prevent accidents from happening.
- Air leakage of the solenoid valves cannot be cut to zero. Take volume and holding time requirements into consideration when designing pressure (including vacuum) retention in the pressure vessel, and other factors.
- For inquiries about the product, consult your nearest Koganei sales office or Koganei Overseas Department. The addresses and telephone numbers are shown on the back cover of this catalog.
- Attach a muffler to the exhaust port. This will reduce exhaust noise.



Other precautions

- Always observe the following items.
 1. When using this product in pneumatic systems, always use genuine Koganei parts or compatible parts (recommended parts).
When conducting maintenance and repairs, always use genuine Koganei parts or equivalent parts (recommended parts).
 2. Always observe the prescribed methods and procedures.
Never attempt inappropriate disassembly or assembly of the product relating to basic configurations, or its performance or functions.

Koganei shall not be held responsible for any problems that occur as a result of these items not being properly observed.

Warranty and General Disclaimer

1. Warranty Period

Koganei warrants this product for a period of no more than 180 days from the date of delivery.


2. Scope of Warranty and General Disclaimer

- (1) The Koganei product warranty covers individual products. When a product purchased from Koganei or from an authorized Koganei distributor malfunctions during the warranty period in a way that is attributable to Koganei's responsibility, Koganei will repair or replace the product free of charge. Even if a product is still within the warranty period, its durability is determined by its operation cycles and other factors. Contact your nearest Koganei sales office or the Koganei overseas department for details.
- (2) Koganei shall not be held responsible for any losses or for any damage to other machinery caused by breakdown, loss of function, or loss of performance of Koganei products.
- (3) Koganei shall not be held responsible for any losses due to use or storage of the product in a way that is outside of the product specifications prescribed in Koganei catalogs and the instruction manual, and/or due to actions that violate the mounting, installation, adjustment, maintenance and other safety precautions.
- (4) Koganei shall not be held responsible for any losses caused by breakdown of the product due to factors outside the responsibility of Koganei, including but not limited to fire, natural disaster, the actions of third parties, and intentional actions or errors by you.

K3/K4 operation principle and symbols

3-port


K3-100SF-□-NL□-M5C



Materials of major parts


Name	Materials
Iron core	Magnetic steel sheet
Magnet wire	Copper
Coil case	Plastic (PPS)
Wiring cover	Plastic (Polycarbonate)
Printed circuit board	Glass epoxy
Body	Plastic (PPS)
Stem	Stainless steel
Back cover	Stainless steel
Valve seat	Plastic (nylon)
End cover	Plastic (PBT)
Manual override	Plastic (POM)
Armature	Electromagnetic soft iron (nickel plated)
Poppet	Synthetic rubber (HNBR)

K3-100SF-□-NL□-M5D



4-port

K4-100SF-□-NL□-M5F




Handling instructions and precautions

Wiring instructions

Plug connector connection and disconnection

When connecting the connector, use your finger to insert the connector onto the pin, and push in on the connector until the lever's claw catches the indent of the housing.


When removing the connector, squeeze the lever along with the connector making sure that the lever's claw is disengaged from the indent of the housing, and then pull the connector out.



When removing the connector, make sure that the lever's claw is disengaged from the indent of the housing before pulling the connector out. Pulling out the connector while the lever's claw is still engaged will damage the housing.

Using the 3-port valve NC and NO when using a sub-base

A plug comes with the K3 Series (3-port valve) -A2 specification (sub-base included), so the plug can be used to select the NC/NO setting.



Piping specifications

Cannot be used unless piping specifications filled in. Be sure to mount an air supply block or sub-base on the inlet side, and a fitting block, female thread block or plate on the outlet side.

*When mounting an air supply block on the inlet side, mount a fitting block or female thread block on the outlet side. When mounting a sub-base on the inlet side, mount a plate on the outlet side.


Mounting a valve on the air supply block and sub-base

The recommended tightening torque for the valve mounting screws when mounting a valve on the air supply block or sub-base is 7 N·cm.



Precautions when using a plate, fitting block, or female thread block

1. When mounting a plate, fitting block, or female thread block following purchase of a valve for which the piping specification is blank, the recommended tightening torque for the mounting screws (tapping screws) is 7 N·cm.




When screwing in a mounting screw (tapping screw), tighten the screw so it is parallel with the pilot hole of the body. After tightening a screw, check to make sure it is not loose. Exceeding the recommended tightening torque or tightening a tapping screw at an angle can cause deformation or cracking of the body.

2. Do not remove a plate, fitting block, or female thread block that is later mounted or mounted at the factory.




The product is no longer under warranty if the plate, fitting block, or female thread block is removed or reassembled.



Handling instructions and precautions

When mounting a fitting on the female thread block


When mounting a fitting on the female thread block, hold the female thread block to mount the fitting. Tightening torque is 10N•cm.



Manual override operation

Press the manual override as far as it will go to operate it. The valve is in the same state when energizing while the manual override is pressed. Releasing the manual override causes it to return.

Note Performing manual override operation operates connected devices, so be sure to confirm that doing so does not create any danger before pressing the manual override.



Tubing

Use of both nylon tubes and urethane tubes is supported. Use tubes with outside diameter precision within 0.1 mm of the nominal dimensions, and with ovality (difference between major axis and minor axis) within 0.2 mm. (Use of Koganei tubes is recommended.)


- Note**
- Do not use extremely soft tubes, which causes a severe drop in pull-out strength.
 - Do not use tubes whose outside surface is damaged or scratched. If tubes become damaged after repeated use, cut off the damaged portion.
 - Do not subject tubes to sharp bends in the vicinity of fittings. The table below shows minimum bending radius guidelines for nylon tubes.
 - Be sure to stop air supply from the air source before attaching or detaching tubes. Also be sure to check that all of the air within the manifold has been exhausted.

mm	
Tube size	Minimum bending radius
φ 4	20
φ 6	30

Vacuum holding

For K3-100V□ type, there is a minute amount of leakage at vacuum, but this is considered to be permissible. When vacuum holding is required, use a vacuum storage tank (chamber, etc.) and confirm that sufficient vacuum pickup force is maintained.

Standard vacuum circuitry



Handling instructions and precautions

Internal circuit

Circuit specifications	Internal circuit
No-protection circuit type (-N)	<p>*Refer to "No-protection circuit type (-N) LED usage precautions" on the top right if using LED.</p>
Surge absorbing type (-Z)	
Power saving type (-L)	<p>See Note 1 to Note 5.</p>
PLC drive type (-R)	<p>*1: Lead wire color in () parentheses is when cable is selected *2: Surge absorbing circuit for electric power specifications -02 and -04 Surge absorbing circuit and power saving circuit for electric power specifications -24</p>
Pulsed blow type (-X)	<p>*When the external input is on, the solenoid valve turns on and off according to the set frequency and duty ratio. For details, see pages 2 and 2.</p>


Note Do not perform a megger test between pins.

Note 1: With the power saving type (-L) and PLC drive type (-R), avoid use with switches that can cause chattering. Such switches can also cause incorrect power saving circuit operation.

2: Noise may be generated in the area around the coil while the valve is energized. This is due to the properties of power saving circuit and does not indicate malfunction of the valve.

3: When using a lead wire for the power supply line of the power saving type (-L) and PLC drive type (-R), use a lead wire that is no more than 1 meter in length. When using a cable, use a cable that is at least 1 meter and no more than 4 meters in length.

4: When wiring the power supply line of the power saving type (-L) and PLC drive type (-R), be sure to use a twisted pair cable if the terminal block is relayed. The cable should be a total length of at least 1 meter and no more than 4 meters in length from the power supply.




5: When wiring the power supply line of the power saving type (-L) and PLC drive type (-R), installing a filter or other intermediate device can cause improper power saving circuit operation.

No-protection circuit type (-N) LED usage precautions


Using the same power supply to operate no-protection circuit type solenoid valve's LED indicators and coil operation creates the risk of LED damage due to counter electromotive force generated when the coil is off. In this case, provide protection circuit (Diagram 1).

Note: Response times shown in the catalog specifications are values when LEDs are not used.




Pulsed blow type (-X) externally connected circuit

Refer to the figure below (Diagram 2) when wiring to the pulsed blow type.



Power saving circuit current waveforms

The power line waveform for the low energy type (-L) and PLC drive type (-R) with -24 power specifications is shown below.



Note: The startup time varies depending on the model.

Installation


WARNING

1. Installing valves side-by-side or with a manifold will generate large amounts of coil heat. Provide at least 1 mm of space between coils.
2. Coils generate heat. Avoid energizing coils without applying air. During use in combination with a nozzle or other type of throttling valve, provide an air flow of at least 5 l/min while the valve is energized.
3. Allowing ferromagnetic material to come into contact with the solenoid valve (coil) can cause erratic operation. Keep such materials at least 1 mm away from solenoid valves.

Restrictions on 4 W power specification type continuous energizing time

WARNING

In the case of the 4 W power specification type, be sure to use a continuous energizing time that is below the voltage waveform shown below. A longer energizing time results in heat build-up due to coil heat generation, which can lead to damage or burnout. Contact Koganei for details.



Pulsed blow type (-X) operation method




DANGER

When configuring frequency and duty ratio settings using a pulsed blow type, always conduct a safety check of the area of machine operation before supplying air or electricity to the device and before starting operation. The actuator may move unintentionally and may result in damage or personal injury caused by contact with moving parts.

Setting range of pulsed blow type (-X)

When using a pulsed blow type and configuring frequency and duty ratio settings, there is a range in which settings cannot be configured due to on/off response delay.

Configure frequency and duty ratio settings using the graph of the range where settings can be configured as a guide.




Note: The above two graphs show reference values for K3 and K4 Series types with an ON response time of 4.0 ms and an OFF response time of 15 ms.

Air consumption guidelines using the pulsed blow type (-X)

The graph below shows the relationship between the frequency and duty ratio, and the air consumption volume due to ON/OFF response delay, assuming an air consumption volume during continuous energizing (100% duty ratio) of 100%, when a pulsed blow type is used and the air consumption volume is controlled. Configure frequency and duty settings using the graph below as a guide.

*The duty ratio is the ratio of energizing ON time within one cycle (ON and OFF).



Explanation of diagrams

A duty ratio of approximately 64% is required when the frequency is 10 Hz and the air consumption volume is 75%.

Infrared remote control and program specifications

Remote control program

Item	Manufacturer setting
Manufacturer code (remote control setting)	Toshiba (for analog TV)

Remote control functions (Recommended remote control unit: Ohm Electric Inc. ORC-02DG)

Function	Buttons	Description of function
Lock release	Press [0/10] ^{Note 1} four times	Releases infrared receive lock and changes settings. (External input must be OFF to release lock.)
ON/OFF	[Power]	While infrared input is OFF and after releasing lock, valve oscillation can be turned ON or OFF with the remote control.
Settings by value input	[1] to [9], [0/10] ^{Note 1}	Use these buttons to input values when changing frequency (Hz) and duty ratio (%) settings.
	[11] (Frequency)	Press after inputting a value to change the frequency (Hz).
	[12] (Duty ratio)	Press after inputting a value to change the duty ratio (%). A duty ratio of 100% is continuous energizing.
Settings by variable input	[Channel +/-]	Change the frequency (Hz) in units of 1 (Hz). With key repeat ^{Note 2} .
	[Volume +/-]	Change the duty ratio (%) in units of 1 (%). With key repeat ^{Note 3} .
Registration	[Change input]	Registers setting values (frequency (Hz), duty ratio (%)) that have been changed and lock infrared receive. Registering settings causes settings to be saved even if the power supply to the valve is cut off.
Registered value recall	[Mute]	Recalls the most recently registered settings.

Note 1: Though the [0/10] button is used as a [0] button, the marking of the button depends on the remote control being used.

If your remote control does not have a [0] button, the [10] button is used for [0].

2: Holding down a button for more than 0.5 seconds will scroll the frequency value upwards or downwards.

3: Holding down a button for more than 0.5 seconds will scroll the duty ratio value upwards or downwards.

Valve LED indicators


During valve operation	The valve LED light timing is the same as the oscillation frequency and duty ratio.
During remote control input	When lock is released, aiming the remote control at the valve and operating a button causes the valve LED to light or go out for 0.1 seconds.
During lock release	Valve LED does not light with the first press of [0/10], does not light with the second press of [0/10], does not light with the third press of [0/10], and lights for 0.1 seconds with the fourth press of [0/10].

Operation precautions

1	When configuring settings, make sure that 24 VDC of power is supplied between the solenoid valve input (+) and GND (-).
2	Make sure that the remote control signal emitter is aimed at the valve when operating remote control buttons. Settings will not be configured if you operate the remote control without aiming at the valve.
3	Another pulsed blow type valve that is near the valve whose settings are being configured can cause interference in the infrared signal during remote control input. To avoid interference, be sure to disconnect the connectors and cut off the power supply of all valves except for the one being configured.
4	Perform remote control input slowly and carefully. Due to delay in the receive process, quick operation may result in incorrect input.
5	Input each value within 10 seconds. Input will be ignored after 10 seconds.
6	If you make a mistake during value input, wait for more than 10 seconds after the last input and then input it again.
7	Remote control input is not supported while a valve is ON by external input (lock release is also not supported).
8	The infrared receive lock function is automatically operational when power is turned on, so release the lock before configuring settings.
9	Executing "Registration" while configuring settings with a remote control automatically executes [Valve stop], performs memory registration, and locks infrared reception.
10	Inputting from an external source while configuring settings with the remote control automatically locks memory registration and infrared reception, and then switches to operation by external input.
11	If the power supply is cut while settings are being configured with a remote control but have not been registered yet, the unregistered settings are discarded and previously registered settings are restored.

Operational flow with a remote control


※Initial settings when shipped are 10 Hz frequency and 10% duty ratio. Applicable buttons are shown in 《 》 brackets.



Note: Though the 《0/10》 button is used as a "0" button, the marking of the button depends on the remote control being used. If your remote control does not have a "0" button, the "10" button is used for "0".

Recommended remote control buttons

CAUTION Make sure that the remote control signal emitter is aimed at the valve when operating remote control buttons.



(Recommended remote control unit: Ohm Electric Inc. ORC-02DG)

To input values to do settings

Example 1: To set 5 Hz as the operating frequency of the valve.

⑤ → ⑪
(Decide frequency)

Example 2: To set 10 Hz as the operating frequency of the valve.

① → ⑩/⑪ → ⑪
(Decide frequency)

Example 3: To set the duty ratio of the valve to 25%.

② → ⑤ → ⑫
(Decide duty ratio)

K3 series specifications

Positive pressure

Basic model	Direct piping		K3-100SF-02				K3-100SF-04 ^{Note 5}				K3-100SF-24		K3-100HF-24 (Special specifications) ^{Note 6}	
	Base piping		K3-100SA-02				K3-100SA-04 ^{Note 5}				K3-100SA-24		K3-100HA-24 (Special specifications) ^{Note 6}	
	Circuit specifications		-N	-Z	-R	-X	-N	-Z	-R	-X	-L	-R	-L	-R
Item														
Media			Air/inert gas											
Operation system			Direct operated											
Number of Ports			3											
Number of Positions			2											
Flow rate characteristics	Sonic conductance C	dm³/(s·bar)	0.2				0.2				0.3		0.4	
	Effective area [Cv] ^{Note 1}	mm²	1.0 [0.06]				1.0 [0.06]				1.5 [0.08]		2.0 [0.11]	
Port size			Fitting block: φ 4 mm and φ 6 mm quick fitting, female thread block: M5×0.8 Air supply block, sub-base: M5×0.8											
Lubrication			Not required											
Operating pressure range		MPa	0 to 0.7										0 to 0.5	
Proof pressure		MPa	1.05											
Response time ^{Note 2, Note 3}	ON	ms	4.0±1.0				3.0±1.0				1.2±0.5		1.2±0.5	
	OFF	ms	2.0	2.0	2.0	15	2.0	2.0	2.0	15	1.0	1.0	1.0	1.0
Maximum operating frequency ^{Note 4}		Hz	50	50	50	40	50	50	50	40	100	100	100	100
Operating temperature range (atmosphere and media)		°C	0 to 50 (non-condensation)											
Shock resistance		m/s²	100											
Mounting direction			Any											
Protection structure			IP67 equivalent											
Operating life		Operations	100 million (under Koganei test conditions)										—	
Weight		g	Direct piping type: 52 for piping specifications -J4C , 53 for -J6C , 49 for -M5C (for 300 mm wire length) Base piping type: 64 for piping specifications -A2 (for 300 mm wire length)											

Vacuum

Basic model	Direct piping		K3-100VF-02				K3-100VF-04 ^{Note 5}				K3-100VF-24			
	Base piping		K3-100VA-02				K3-100VA-04 ^{Note 5}				K3-100VA-24			
	Circuit specifications		-N	-Z	-R	-X	-N	-Z	-R	-X	-L	-R		
Item														
Media			Air/inert gas/vacuum											
Operation system			Direct operated											
Number of Ports			3											
Number of Positions			2											
Flow rate characteristics	Sonic conductance C	dm ³ /(s•bar)	0.2				0.2				0.3			
	Effective area [Cv] ^{Note 1}	mm ²	1.0 [0.06]				1.0 [0.06]				1.5 [0.08]			
Port size			Fitting block: φ 4 mm and φ 6 mm quick fitting, female thread block: M5×0.8 Air supply block, sub-base: M5×0.8											
Lubrication			Not required											
Operating pressure range			MPa		3 (R) port: — 100 kPa to 0, 1 (P) port: — 100 kPa to 0.7 MPa									
Proof pressure			MPa		1.05									
Response ^{Note 2, Note 3}	ON	ms	4.0±1.0				3.0±1.0				1.2±0.5			
	OFF	ms	2.0	2.0	2.0	15	2.0	2.0	2.0	15	1.0	1.0		
Maximum operating frequency ^{Note 4}			Hz		50	50	50	40	50	50	50	40	100	100
Operating temperature range (atmosphere and media)			°C		0 to 50 (non-condensation)									
Shock resistance			m/s ²		100									
Mounting direction			Any											
Protection structure			IP67 equivalent											
Operating life			Operations		100 million (under Koganei test conditions)									
Weight			g		Direct piping type: 52 for piping specifications -J4C , 53 for -J6C , 49 for -M5C (for 300 mm wire length) Base piping type: 64 for piping specifications -A2 (for 300 mm wire length)									

Note 1: Effective area values are calculated values. They are not measured values.

2: Values when air pressure is 0.5 MPa. Values are for continuous operations, except for after a period of non-operation.

3: No-protection circuit type (**-N**) response times are values when LEDs are not used.

4: Contact Koganei when you wish to operate a valve in excess of this maximum operating frequency.

5: Continuous energizing time is limited. For details, see page 20.

6: For operating conditions and ordering procedures, you will need to consult with Koganei. Contact your nearest Koganei sales office.

K4 series specifications

Positive pressure

Basic model	Direct piping		K4-100SF-02				K4-100SF-04 ^{Note 5}				K4-100SF-24		K4-100HF-24 (Special specifications) ^{Note 6}	
	Base piping		K4-100SA-02				K4-100SA-04 ^{Note 5}				K4-100SA-24		K4-100HA-24 (Special specifications) ^{Note 6}	
	Circuit specifications		-N	-Z	-R	-X	-N	-Z	-R	-X	-L	-R	-L	-R
Item														
Media			Air/inert gas											
Operation system			Direct operated											
Number of Ports			4											
Number of Positions			2											
Flow rate characteristics	Sonic conductance C		0.2				0.2				0.3		0.4	
		dm ³ /(s·bar)												
	Effective area [Cv] ^{Note 1}	mm ²	1.0 [0.06]				1.0 [0.06]				1.5 [0.08]		2.0 [0.11]	
Port size			Fitting block: ϕ 4 mm and ϕ 6 mm quick fitting, female thread block: M5×0.8 Air supply block, sub-base: M5×0.8											
Lubrication			Not required											
Operating pressure range	MPa		0 to 0.7										0 to 0.5	
Proof pressure	MPa		1.05											
Response time ^{Note 2, Note 3}	ON	ms	4.0±1.0				3.0±1.0				1.2±0.5		1.2±0.5	
	OFF	ms	2.0	2.0	2.0	15	2.0	2.0	2.0	10	1.0	1.0	1.0	1.0
Maximum operating frequency ^{Note 4}	Hz		50	50	50	40	70	70	70	40	100	100	100	100
Operating temperature range (atmosphere and media)	°C		0 to 50 (non-condensation)											
Shock resistance	m/s ²		100											
Mounting direction			Any											
Protection structure			IP67 equivalent											
Operating life	Operations		100 million (under Koganei test conditions)										—	
Weight	g		Direct piping type: 54 for piping specifications -J4F , 57 for -J6F , 49 for -M5F (for 300 mm wire length) Base piping type: 63 for piping specifications -A2 (for 300 mm wire length)											

Note 1: Effective area values are calculated values. They are not measured values.

2: Values when air pressure is 0.5 MPa. Values are for continuous operations, except for after a period of non-operation.

3: No-protection circuit type (-N) response times are values when LEDs are not used.

4: Contact Koganei when you wish to operate a valve in excess of this maximum operating frequency.

5: Continuous energizing time is limited. For details, see page 20.

6: For operating conditions and ordering procedures, you will need to consult with Koganei. Contact your nearest Koganei sales office.

K3 and K4 series electrical specifications


Item	Circuit specifications			No-protection circuit type -N		Surge absorbing type -Z		Power saving type -L ^{Note 1}	PLC drive type -R ^{Note 1}			Pulsed blow type -X ^{Note 1}	
	Power specifications (Flow rate type)			-02	-04 ^{Note 3}	-02	-04 ^{Note 3}	-24	-02	-04 ^{Note 3}	-24 ^{Note 2}	-02	-04 ^{Note 3}
Rated voltage				24 VDC									
System				DC solenoid (parallel)									
Operating voltage range													

Note 1: Surge absorbing circuit is provided as standard in the case of circuit specifications **-L**, **-R**, and **-X**.



2: Power saving circuit is built-in in the case of power specifications **-24** of circuit specifications **-R** (PLC drive type).

3: Continuous energizing time is limited. For details, see page 20.

K3 and K4 series flow rate



K3 series (vacuum) time of supplying air/exhausting air



K3 Series order codes

K3
K4

Basic model

K3-100SF: Direct piping, 3-port, standard flow rate type
K3-100HF: Direct piping, 3-port, high flow rate type^{Note 2}
K3-100VF: Direct piping, 3-port, vacuum & standard flow rate type
K3-100SA: Base piping, 3-port, standard flow rate type
K3-100HA: Base piping, 3-port, high flow rate type^{Note 2}
K3-100VA: Base piping, 3-port, vacuum & standard flow rate type

Power specifications

-02: 2 W
-04: 4 W^{Note 1}
-24: 24 W (with power saving circuit)

Circuit specifications

-N: No-protection circuit type (3-wire)
 (Without surge absorbing circuit)
-Z: Surge absorbing type (2-wire)
 (With surge absorbing circuit)
-L: Power saving type (2-wire)
 (With surge absorbing circuit)
-R: PLC drive type (4-wire)
 (With surge absorbing circuit)
-X: Pulsed blow type (3-wire)
 (With surge absorbing circuit)

Wiring specifications

S0: IP67 S-type plug connector, 300 mm lead wire
S1: IP67 S-type plug connector, 1000 mm lead wire
S3: IP67 S-type plug connector, 3000 mm lead wire^{Note}
 Note: Cable length is 3000 mm in the case of power saving type **-L** and PLC drive type **-R**.
SN: IP67 S-type plug connector, no connector
L0: IP67 L-type plug connector, 300 mm lead wire
L1: IP67 L-type plug connector, 1000 mm lead wire
L3: IP67 L-type plug connector, 3000 mm lead wire^{Note}
 Note: Cable length is 3000 mm in the case of power saving type **-L** and PLC drive type **-R**.
LN: IP67 L-type plug connector, no connector

Piping specifications

For direct piping

Blank: No input/output block^{Note 4}
-J4A: No air supply block, with $\phi 4$ fitting block (NC)
-J4B: No air supply block, with $\phi 4$ fitting block (NO)
-J4C: With air supply block, with $\phi 4$ fitting block (NC)
-J4D: With air supply block, with $\phi 4$ fitting block (NO)
-J6A: No air supply block, with $\phi 6$ fitting block (NC)
-J6B: No air supply block, with $\phi 6$ fitting block (NO)
-J6C: With air supply block, with $\phi 6$ fitting block (NC)
-J6D: With air supply block, with $\phi 6$ fitting block (NO)
-M5A: No air supply block, with M5 female thread block (NC)
-M5B: No air supply block, with M5 female thread block (NO)
-M5C: With air supply block, with M5 female thread block (NC)
-M5D: With air supply block, with M5 female thread block (NO)

For base piping

Blank: No sub-base, no plate^{Note 4}
-A1: No sub-base, with plate
-A2: With sub-base, with plate^{Note 3}

	Basic model	Power specifications	Circuit specifications	Wiring specifications	Piping specifications	Voltage
Direct piping	K3-100SF K3-100VF	-02 -04 ^{Note 1}	-N -Z -R	S0 L0 S1 L1 S3 L3 SN LN	Blank ^{Note 4} -J4A -J4B -J4C -J4D -J6A -J6B -J6C -J6D -M5A -M5B -M5C -M5D	24 VDC
			-X	S0 S3 S1 SN		
Base piping	K3-100SA K3-100VA	-02 -04 ^{Note 1}	-N -Z -R	S0 L0 S1 L1 S3 L3 SN LN	Blank ^{Note 4} -A1 -A2 ^{Note 3}	24 VDC
			-X	S0 S3 S1 SN		
	K3-100SA K3-100HA ^{Note 2} K3-100VA	-24	-L -R	S0 L0 S1 L1 S3 L3 SN LN		

Note 1: Continuous energizing time is limited. For details, see page 10.

2: **K3-100HF** and **K3-100HA** are special specification products. For operating conditions and ordering procedures, you will need to consult with Koganei. Contact your nearest Koganei sales office.

3: A plug is included with the **-A2** (sub-base included), so the plug can be used to select the NC/NO setting. For details, see page 10.

4: Cannot be used if wiring specifications are blank.

Be sure to mount an input/output block (direct piping), or sub-base plate (base piping).


K3 Series additional parts order codes

Mounting bracket




K310-21: Mounting bracket
(with mounting screws), 1 set

Air supply block



K310-MP: Air supply block
(no mounting screws), 1 set

φ 4 fitting block for 3-port



K310-J4A: φ 4 fitting block for 3-port
(with gasket, mounting screws), 1 set

φ 6 fitting block for 3-port




K310-J6A: φ 6 fitting block for 3-port
(with gasket, mounting screws), 1 set

Female thread block for 3-port




K310-M5A: Female thread block for 3-port
(with gasket, mounting screws), 1 set

Sub-base



K310-25: Sub-base (no mounting screws), 1 set

Plate




K310-P: (with gasket, mounting screws), 1 set

Block-off plate



K310-BP: Block-off plate
(with gasket, mounting screws), 1 set

Connector, lead wire type




K210-P20: IP67 plug connector, lead wire (2-wire) length: 300 mm

K210-P21: IP67 plug connector, lead wire (2-wire) length: 1000 mm

K210-P23: IP67 plug connector, lead wire (2-wire) length: 3000 mm^{Note 1}


Note 1: Use a cable type for a 3000 mm length for the power saving type (-L).



K210-P30: IP67 plug connector, lead wire (3-wire) length: 300 mm

K210-P31: IP67 plug connector, lead wire (3-wire) length: 1000 mm

K210-P33: IP67 plug connector, lead wire (3-wire) length: 3000 mm



K210-P40: IP67 plug connector, lead wire (4-wire) length: 300 mm

K210-P41: IP67 plug connector, lead wire (4-wire) length: 1000 mm

Connector, cable type




K210-C31: IP67 plug connector, cable (3-wire) length: 1000 mm^{Note 2}

K210-C33: IP67 plug connector, cable (3-wire) length: 3000 mm^{Note 2}

K210-C35: IP67 plug connector, cable (3-wire) length: 5000 mm^{Note 2}

Note 2: In the case of 2-wire specifications (-L, -Z), cut the white lead wire to use.



K210-C41: IP67 plug connector, cable (4-wire) length: 1000 mm

K210-C43: IP67 plug connector, cable (4-wire) length: 3000 mm

K4 Series order codes

K3
K4

Basic model

K4-100SF: Direct piping, 4-port, standard flow rate type

K4-100HF: Direct piping, 4-port, high flow rate type^{Note 2}

K4-100SA: Base piping, 4-port, standard flow rate type

K4-100HA: Base piping, 4-port, high flow rate type^{Note 2}

Power specifications

-02: 2 W

-04: 4 W^{Note 1}

-24: 24 W (with power saving circuit)

Circuit specifications

-N: No-protection circuit type (3-wire)
(Without surge absorbing circuit)

-Z: Surge absorbing type (2-wire)
(With surge absorbing circuit)

-L: Power saving type (2-wire)
(With surge absorbing circuit)

-R: PLC drive type (4-wire)
(With surge absorbing circuit)

-X: Pulsed blow type (3-wire)
(With surge absorbing circuit)

Wiring specifications

S0: IP67 S-type plug connector, 300 mm lead wire

S1: IP67 S-type plug connector, 1000 mm lead wire

S3: IP67 S-type plug connector, 3000 mm lead wire^{Note}

Note: Cable length is 3000 mm in the case of power saving type **-L** and PLC drive type **-R**.

SN: IP67 S-type plug connector, no connector

L0: IP67 L-type plug connector, 300 mm lead wire

L1: IP67 L-type plug connector, 1000 mm lead wire

L3: IP67 L-type plug connector, 3000 mm lead wire^{Note}

Note: Cable length is 3000 mm in the case of power saving type **-L** and PLC drive type **-R**.

LN: IP67 L-type plug connector, no connector

Piping specifications

For direct piping

Blank: No input/output block^{Note 3}

-J4E: No air supply block, with $\phi 4$ fitting block

-J4F: With air supply block, with $\phi 4$ fitting block

-J6E: No air supply block, with $\phi 6$ fitting block

-J6F: With air supply block, with $\phi 6$ fitting block

-M5E: No air supply block, with M5 female thread block

-M5F: With air supply block, with M5 female thread block

For base piping

Blank: No sub-base, no plate^{Note 3}

-A1: No sub-base, with plate

-A2: With sub-base, with plate

	Basic model	Power specifications	Circuit specifications	Wiring specifications	Piping specifications	Voltage
Direct piping	K4-100SF	-02 -04 ^{Note 1}	-N -Z -R	S0 L0 S1 L1 S3 L3 SN LN	Blank ^{Note 3} -J4E -J4F -J6E -J6F -M5E -M5F	24 VDC
	K4-100SF K4-100HF ^{Note 2}	-24	-X	S0 S3 S1 SN		
Base piping	K4-100SA	-02 -04 ^{Note 1}	-N -Z -R	S0 L0 S1 L1 S3 L3 SN LN	Blank ^{Note 3} -A1 -A2	24 VDC
	K4-100SA K4-100HA ^{Note 2}	-24	-X	S0 S3 S1 SN		
			-L -R	S0 L0 S1 L1 S3 L3 SN LN		

Note 1: Continuous energizing time is limited. For details, see page 20.

2: **K4-100HF** and **K4-100HA** are special specification products. For operating conditions and ordering procedures, you will need to consult with Koganei. Contact your nearest Koganei sales office.

3: Cannot be used if wiring specifications are blank.

Be sure to mount an input/output block (direct piping), or sub-base plate (base piping).


K4 Series additional parts order codes

Mounting bracket



K310-21: Mounting bracket
(with mounting screws), 1 set

Air supply block



K310-MP: Air supply block
(no mounting screws), 1 set

φ 4 fitting block for 4-port



K410-J4E: φ 4 fitting block for 4-port
(with gasket, mounting screws), 1 set

φ 6 fitting block for 4-port




K410-J6E: φ 6 fitting block for 4-port
(with gasket, mounting screws), 1 set

Female thread block for 4-port



K410-M5E: Female thread block for 4-port
(with gasket, mounting screws), 1 set

Sub-base



K310-25: Sub-base
(no mounting screws), 1 set

Plate




K310-P: (with gasket, mounting screws), 1 set

Block-off plate



K310-BP: Block-off plate
(with gasket, mounting screws), 1 set

Connector, lead wire type




K210-P20: IP67 plug connector, lead wire (2-wire) length: 300 mm

K210-P21: IP67 plug connector, lead wire (2-wire) length: 1000 mm

K210-P23: IP67 plug connector, lead wire (2-wire) length: 3000 mm^{Note 1}


Note 1: Use a cable type for a 3000 mm length with the power saving type (-L).



K210-P30: IP67 plug connector, lead wire (3-wire) length: 300 mm

K210-P31: IP67 plug connector, lead wire (3-wire) length: 1000 mm


K210-P33: IP67 plug connector, lead wire (3-wire) length: 3000 mm



K210-P40: IP67 plug connector, lead wire (4-wire) length: 300 mm

K210-P41: IP67 plug connector, lead wire (4-wire) length: 1000 mm

Connector, cable type




K210-C31: IP67 plug connector, cable (3-wire) length: 1000 mm^{Note 2}

K210-C33: IP67 plug connector, cable (3-wire) length: 3000 mm^{Note 2}

K210-C35: IP67 plug connector, cable (3-wire) length: 5000 mm^{Note 2}

Note 2: In the case of 2-wire specifications (-L, -Z), cut the white lead wire to use.





K210-C41: IP67 plug connector, cable (4-wire) length: 1000 mm

K210-C43: IP67 plug connector, cable (4-wire) length: 3000 mm

K3 series dimensions (mm)



K3-100□F-□-□S0-J□C (direct piping type)

With air supply block, with fitting block (NC),
S type plug connector



-J□D (for NO specification)



L-type plug connector




K3 series dimensions (mm)

K3-100□F-□-□S0-M5C (direct piping type)


With air supply block, with female thread block (NC),
S-type plug connector



-M5D (for NO specifications)





L-type plug connector




K3 series dimensions (mm)

K3-100□A-□-□S0-A2 (base piping type)


With sub-base,
S-type plug connector



When NO specification are used





L-type plug connector



K3
K4

K3-100□F (direct piping) manifold installation dimensions




Select a model from the following to mount on the manifold.

- K3-100□F-□-□-J4A DC24V
- K3-100□F-□-□-J4B DC24V
- K3-100□F-□-□-J6A DC24V
- K3-100□F-□-□-J6B DC24V
- K3-100□F-□-□-M5A DC24V
- K3-100□F-□-□-M5B DC24V


Note 1: Be careful not to drop the gasket during mounting.

2: 11 mm minimum pitch for valve installation when mounted on manifold.


K3-100□A (base piping) manifold installation dimensions



K3-100□A: For NC specification



K3-100□A: For NO specification



Select a model from the following to mount on the manifold.

- K3-100□A-□-□-A1 DC24V



Note 1: Be careful not to drop the gasket during mounting.

2: 11 mm minimum pitch for valve installation when mounted on manifold.


K4 series dimensions (mm)

K4-100□F-□-□S0-J□F (direct piping type)

With air supply block,
with fitting block, S-type plug connector



L-type plug connector




K3
K4


K4 series dimensions (mm)

K4-100□F-□-□S0-M5F (direct piping type)

With air supply block,
with female thread block, S-type plug connector




L-type plug connector



K4 series dimensions (mm)

K4-100□F (direct piping) manifold installation dimensions




Select a model from the following to mount on the manifold.

- K4-100□F-□-□-J4E DC24V
- K4-100□F-□-□-J6E DC24V
- K4-100□F-□-□-M5E DC24V

Note 1: Be careful not to drop the gasket during mounting.

2: 11 mm minimum pitch for valve installation when mounted on manifold.

K4-100□A (base piping) manifold installation dimensions



Select a model from the following to mount on the manifold.

K4-100□A-□-□-A1 DC24V

Note 1: Be careful not to drop the gasket during mounting.

2: 11 mm minimum pitch for valve installation when mounted on manifold.

Limited Warranty

KOGANEI CORP. warrants its products to be free from defects in material and workmanship subject to the following provisions.

Warranty Period The warranty period is 180 days from the date of delivery.

Koganei Responsibility If a defect in material or workmanship is found during the warranty period, KOGANEI CORP. will replace any part proved defective under normal use free of charge and will provide the service necessary to replace such a part.

Limitations ● This warranty is in lieu of all other warranties, expressed or implied, and is limited to the original cost of the product and shall not include any transportation fee, the cost of installation or any liability for direct, indirect or consequential damage or delay resulting from the defects.

● KOGANEI CORP. shall in no way be liable or responsible for injuries or damage to persons or property arising out of the use or operation of the manufacturer's product.

● This warranty shall be void if the engineered safety devices are removed, made inoperative or not periodically checked for proper functioning.

● Any operation beyond the rated capacity, any improper use or application, or any improper installation of the product, or any substitution upon it with parts not furnished or approved by KOGANEI CORP., shall void this warranty.

● This warranty covers only such items supplied by KOGANEI CORP. The products of other manufacturers are covered only by such warranties made by those original manufacturers, even though such items may have been included as the components.

The specifications are subject to change without notice.

K3
K4

Attention users of the old type K2 Series!

Protection structure

Though the old type K2 Series was equivalent to IP65, note that the protection structure is now IP67 equivalent.

URL <http://www.koganei.co.jp>

E-mail: overseas@koganei.co.jp



KOGANEI CORPORATION

OVERSEAS DEPARTMENT

3-11-28, Midori-cho, Koganei City, Tokyo 184-8533, Japan
Tel: 81-42-383-7271 Fax: 81-42-383-7276

KOGANEI INTERNATIONAL AMERICA, INC.

39300 Civic Center Dr., Suite 280, Fremont, CA 94538, U.S.A.
Tel: 1-510-744-1626 Fax: 1-510-744-1676

SHANGHAI KOGANEI INTERNATIONAL TRADING CORPORATION

Room 2606-2607, Tongda Venture Building No.1, Lane 600, Tianshan Road,
Shanghai, 200051, China
Tel: 86-21-6145-7313 Fax: 86-21-6145-7323

KOGANEI KOREA CO., LTD.

KT&G Cosmo Bldg., 3F, 40-13, Maesanno 2-ga, Paldal-gu, Suwon-si, Gyeonggi-do,
442-847, Korea
Tel: 82-31-246-0414 Fax: 82-31-246-0415

KOGANEI-PORNCHAI CO., LTD.

89/174 Moo 3, Vibhavadee Rangsit Road, Talad Bangkhen, Laksi, Bangkok,
10210, Thailand
Tel: 66-2551-4025 Fax: 66-2551-4015

KOGANEI ASIA PTE. LTD.

12 Arumugam road #03-12, Lion Building B, 409958, Singapore
Tel: 65-6293-4512 Fax: 65-6293-4513